

免疫检查点试剂

• • • PD-1/PD-L1 Pathway • • •

蛋白	产品编号	规格
PD-1 (mouse):Fc (mouse) (rec.)	CHI-MF-110PD1	100 µg
PD-1 (mouse):Fc (human) (rec.)	CHI-MF-111PD1	100 µg
PD-1 (human) (rec.) (untagged)	CHI-HF-200PD1	50 µg
PD-1 (human) (rec.) (His)	CHI-HF-201PD1	100 µg
PD-1 (human):Fc (human) (rec.)	CHI-HF-210PD1	100 µg
PD-1 (human):Fc (human) (rec.) (non-lytic)	CHI-HF-220PD1	200 µg
PD-1 (human):Fc (mouse) (rec.)	CHI-HF-211PD1	100 µg
PD-L1 (mouse):Fc (mouse) (rec.) (non-lytic)	CHI-MF-120PDL1	100 µg
PD-L1 (human) (rec.) (untagged)	CHI-HF-200PDL1	50 µg
PD-L1 (human) (rec.) (His)	CHI-HF-201PDL1	100 µg
PD-L1 (human):Fc (human) (rec.)	CHI-HF-210PDL1	100 µg
PD-L1 (human):Fc (human) (rec.) (non-lytic)	CHI-HF-220PDL1	100 µg
PD-L1 (human):Fc (mouse) (rec.)	CHI-HF-211PDL1	100 µg
PD-L2 (mouse):Fc (mouse) (rec.)	CHI-MF-110PDL2	100 µg
PD-L2 (human):Fc (human) (rec.)	CHI-HF-210PDL2	100 µg
PD-L2 (human):Fc (human) (rec.) (non-lytic)	CHI-HF-220PDL2	100 µg
PD-L2 (human):Fc (mouse) (rec.)	CHI-HF-211PDL2	100 µg
抗体	产品编号	规格
PD-1 (mouse), mAb (blocking) (1H10) (PF)	AG-20B-0075PF	100 µg 500 µg
PD-1 (human), mAb (ANC4H6)	ANC-279-020	100 µg
PD-1 (human), mAb (AG-IHC001)	AG-20B-6020	100 µL 1mL
PD-L1 (human), mAb (ANC6H1)	ANC-274-020	100 µg
PD-L1 (human), mAb (AG-IHC411)	AG-20B-6022	100 µL 1mL
PD-L2 (human), mAb (ANC8D12)	ANC-273-020	100 µg

• • • VISTA:COMP – Immunosuppressive In Vivo Agonist • • •

蛋白	产品编号	规格
VISTA (mouse):COMP (mouse) (rec.) (His)	AG-40B-0181	50 µg

• • • Butyrophilin-like 2 [BTNL2] • • •

蛋白	产品编号	规格
BTNL2 (mouse):Fc (mouse) (rec.)	CHI-MF-110BTNL2	100 µg
BTNL2 (human):Fc (human) (rec.)	CHI-HF-210BTNL2	50 µg 100 µg

• • • ICOS – ICOSL Pathway • • •

蛋白	产品编号	规格
ICOSL [B7-H2] (mouse):Fc (mouse) (rec.)	CHI-MF-110B7H2	100 µg
ICOSL [B7-H2] (mouse):Fc (mouse) (rec.) (non-lytic)	CHI-MF-120B7H2	100 µg
ICOSL [B7-H2] (human) (rec.) (His)	CHI-HF-201B7H2	50 µg
ICOSL [B7-H2] (human):Fc (human) (rec.)	CHI-HF-210B7H2	100 µg
ICOSL [B7-H2] (human):Fc (human) (rec.) (non-lytic)	CHI-HF-220B7H2	100 µg
ICOSL [B7-H2] (human):Fc (mouse) (rec.)	CHI-HF-211B7H2	100 µg
ICOS (mouse):Fc (mouse) (rec.)	CHI-MF-110ICOS	100 µg
ICOS (human):Fc (human) (rec.)	CHI-HF-210ICOS	25 µg 100 µg
ICOS (human):Fc (human) (rec.) (non-lytic)	CHI-HF-220ICOS	25 µg 100 µg
ICOS (human):Fc (mouse) (rec.)	CHI-HF-211ICOS	100 µg
抗体	产品编号	规格
ICOSL [B7-H2] (human), mAb (ANC4E3)	ANC-263-020	100 µg
ICOS (human), mAb (ANC6C6)	ANC-265-020	100 µg

• • • TIM-3 – Galectin-9 Pathway • • •

蛋白	产品编号	规格
Galectin-9 (human):Fc (human) (rec.)	CHI-HF-210GAL9	50 µg
HMGB1 (human) (rec.) (His)	CHI-HR-200HMGB1	25 µg
HMGB1 (rat) (rec.) (His)	CHI-RR-300HMGB1	25 µg
HMGB1 (rat):Fc (human) (rec.)	CHI-RF-311HMGB1	50 µg
Tim-3 (mouse):Fc (mouse) (rec.)	CHI-MF-110T3	100 µg
Tim-3 (mouse):Fc (human) (rec.)	CHI-MF-111T3	100 µg
Tim-3 (human):Fc (human) (rec.)	CHI-HF-210T3	100 µg
Tim-3 (human):Fc (mouse) (rec.)	CHI-HF-211T3	100 µg
抗体	产品编号	规格
Tim-3 (mouse), mAb (TI 142F)	AG-20A-0030	50 µg 100 µg
Tim-3 (human), mAb (AG-IHC003)	AG-20B-6021	100 µL 1mL

• • • GITR – GITRL Pathway • • •

蛋白	产品编号	规格
GITR (mouse):Fc (human) (rec.)	AG-40B-0002	50 µg 3×50 µg
GITR (human):Fc (human) (rec.)	AG-40B-0028	50 µg 3×50 µg
GITRL, Soluble (mouse) (rec.)	AG-40A-0008	50 µg
GITRL, Soluble (human) (rec.)	CHI-AG-40A-0019	50 µg
GITRL, Soluble (human) (rec.) (His)	AG-40A-0024T	10 µg 50 µg
抗体	产品编号	规格
GITR (human), mAb (ANC7D6)	ANC-268-020	100 µg
GITR (human), mAb (ANC5E3)	ANC-368-020	100 µg
GITR (human), mAb (AIT 158D)	AG-20A-0017	50 µg 100 µg
GITR (human), pAb	AG-25A-0017	100 µg
GITRL (human), pAb	AG-25A-0023	100 µg

• • • TIGIT – CD155 – CD112 – CD226 Network • • •

蛋白	产品编号	规格
CD112R (mouse):Fc (human) (rec.)	AG-40B-0170	10 µg 3×10 µg
CD155 [PVR] (human)-mulg Fusion Protein	ANC-555-020	25 µg
TIGIT (human):Fc (human) (rec.)	AG-40B-0162	50 µg
TIGIT (human)-mulg Fusion Protein	ANC-556-020	25 µg
抗体	产品编号	规格
CD112R (mouse), pAb (IN109)	AG-25B-0035	100 µg
CD155 [PVR] (human), mAb (ANC2B2)	ANC-255-020	100 µg
CD155 [PVR] (human), mAb (ANC6A3)	ANC-350-020	100 µg
TIGIT (human), mAb (ANCTG6/10A6)	ANC-340-020	100 µg

• • • CD137 – CD137L Pathway • • •

蛋白	产品编号	规格
CD137 (mouse):Fc (human) (rec.)	AG-40A-0025	50 µg
CD137 (human) (rec.) (His)	CHI-HR-200CD137	25 µg
CD137 (human):Fc (human) (rec.)	AG-40B-0060	50 µg 3x50 µg
CD137 (human):Fc (human) (rec.)	CHI-HF-210CD137	100 µg
CD137 (human):Fc (mouse) (rec.)	CHI-HF-211CD137	100 µg
CD137L, Soluble (mouse) (rec.)	AG-40A-0020Y	50 µg
CD137L, Soluble (human) (rec.)	AG-40A-0198T	50 µg
Fc (human):CD137L, Soluble (human) (rec.)	AG-40B-0173	10 µg 3×10 µg
CD137L (human)-muCD8 Fusion Protein	ANC-503-020	25 µg
抗体	产品编号	规格
CD137 (human), mAb (4B4-1)	ANC-360-020	100 µg
CD137 (human), pAb	AG-25A-0018	100 µg
CD137L (human), mAb (41B436)	AG-20A-0031	50 µg 100 µg
CD137L (human), mAb (ANC5D6)	ANC-365-020	100 µg

• • • HVEM – BTLA – LIGHT – CD160 Network • • •

蛋白	产品编号	规格
BTLA (human):Fc (human) (rec.)	CHI-HF-210CD272	100 µg
BTLA (human):Fc (mouse) (rec.)	CHI-HF-211CD272	100 µg
CD160 (human):Fc (human) (rec.)	CHI-HF-210CD160	100 µg
LIGHT, Soluble (human) (rec.)	AG-40B-0009	10 µg 3×10 µg
HVEM (human)-mulg Fusion Protein	ANC-531-020	25 µg
抗体	产品编号	规格
BTLA (human), mAb (6F4)	AG-20B-0049	100 µg
BTLA (human), mAb (ANC6E9)	ANC-272-020	100 µg
BTLA (human), mAb (ANC5A5)	ANC-372-020	100 µg
HVEM (human), mAb (ANC3B7)	ANC-270-020	100 µg

• • • CTLA-4 [CD152] – CD80 – CD86 – CD28 Network • • •

蛋白	产品编号	规格
CD28 (mouse):Fc (mouse) (rec.)	CHI-MF-110CD28	200 µg
CD28 (human) (rec.) (His)	CHI-HF-201CD28	100 µg
CD28 (human):Fc (human) (rec.)	CHI-HF-210CD28	200 µg
CD28 (human)-mulg Fusion Protein	ANC-508-020	25 µg
CD80 (mouse):Fc (mouse) (rec.)	CHI-MF-110CD80	100 µg
CD80 (human):Fc (human) (rec.)	CHI-HF-210CD80	100 µg
CD80 (human):Fc (mouse) (rec.)	CHI-HF-211CD80	100 µg
CD86 (mouse):Fc (mouse) (rec.)	CHI-MF-110CD86	100 µg
CD86 (human):Fc (human) (rec.)	CHI-HF-210CD86	100 µg
CD86 (human):Fc (mouse) (rec.)	CHI-HF-211CD86	100 µg
CD86 (var) (human)-mulg Fusion Protein	ANC-589-020	25 µg
CD86 (P2) (human)-mulg Fusion Protein	ANC-579-020	25 µg
CTLA-4 (mouse):Fc (mouse) (rec.)	CHI-MF-110A4	100 µg 500 µg 1 mg
CTLA-4 (mouse):Fc (mouse) (rec.) (non-lytic)	CHI-MF-120A4	100 µg 500 µg 1 mg
CTLA-4 (human):Fc (human) (rec.)	CHI-HF-210A4	100 µg 500 µg 1 mg
CTLA-4 (human):Fc (human) (rec.) (non-lytic)	CHI-HF-220A4	100 µg 500 µg 1 mg
CTLA-4 (human):Fc (mouse) (rec.)	CHI-HF-211A4	100 µg
抗体	产品编号	规格
CD28 (human), mAb (ANC28.1/5D10)	ANC-177-020	100 µg
CD80 (human), mAb (P1.H1.A1.A1)	ANC-110-020	100 µg
CD80 (human), mAb (BB1)	ANC-100-020	100 µg
CD86 (human), mAb (BU63)	ANC-307-020	100 µg
CD152 (human), mAb (ANC152.2/8H5)	ANC-359-020	100 µg

• • • CD40 – CD40L Pathway • • •

蛋白	产品编号	规格
CD40 (human):Fc (human) (rec.)	AG-40B-0083	50 µg 3×50 µg
CD40 (human):Fc (human) (rec.)	CHI-HF-210CD40	100 µg
CD40 (human)-mulg Fusion Protein	ANC-504-020	25 µg
CD40L (mouse) (multimeric) (rec.)	AG-40B-0020	10 µg 3×10 µg
CD40L (human) (multimeric) (rec.)	AG-40B-0010	10 µg 3×10 µg
CD40L (human):Fc (human) (rec.)	CHI-HF-210CD40L	50 µg
CD40L (human)-muCD8 Fusion Protein	ANC-505-020	25 µg
CD40L (rat) (multimeric) (rec.)	AG-40B-0107	10 µg 3×10 µg
抗体	产品编号	规格
CD40 (mouse), mAb (FGK45) (PF)	AG-20B-0036PF	100 µg 500 µg
CD40 (human), mAb (BE-1)	ANC-189-020	100 µg
CD40 (human), mAb (EA-5)	ANC-300-020	100 µg
CD40L (human), mAb (rec.) (blocking) (hu5c8)	AG-27B-6002PF	100 µg
CD40L (human), mAb (24-31)	ANC-353-020	100 µg

• • • LAG-3 – MHC – TCR Pathway • • •

蛋白	产品编号	规格
LAG-3 (mouse):Fc (mouse) (rec.)	AG-40B-0039	50 µg
LAG-3 (human):Fc (human) (rec.)	AG-40B-0031	50 µg
LAG-3 (human):Fc (human) (rec.)	CHI-HF-210LAG3	50 µg
抗体	产品编号	规格
LAG-3, mAb (blocking) (11E3) (PF)	AG-20B-0011PF	100 µg
LAG-3 (human), mAb (blocking) (17B4) (PF)	AG-20B-0012PF	100 µg
LAG-3 (human), mAb (AG-IHC103)	AG-20B-6023	100 µL 1mL
MHC Class I (human), mAb (3F10)	ANC-121-020	100 µg
MHC Class II (human), mAb (TDR31.1)	ANC-131-020	100 µg
TCR Cb1 (human), mAb (Jovi-1)	ANC-101-020	100 µg
TCR Vb3 (human), mAb (Jovi-3)	ANC-102-020	100 µg
CD3 (human), mAb (UCHT1)	ANC-144-020	100 µg
CD3 (mouse), mAb (145-2C11)	ANC-703-020	100 µg
CD4 (human), mAb (QS4120)	ANC-147-020	100 µg
CD4 (human), mAb (M-T441)	ANC-148-020	100 µg
CD4 (mouse), mAb (GK1.5) (PF)	ANC-704-820	100 µg
CD8 (human), mAb (UCHT4)	ANC-153-020	100 µg
CD8 (human), mAb (14)	ANC-154-020	100 µg
CD8-α (mouse), mAb (53-6)	ANC-260-020	100 µg

• • • New B7 Family Immune Checkpoint Proteins • • •

蛋白	产品编号	规格
B7-H3 [CD276] (mouse):Fc (mouse) (rec.)	CHI-MF-110B7H3	100 µg
B7-H3 [CD276] (human) (rec.) (untagged)	CHI-HF-200B7H3	50 µg
B7-H3 [CD276] (human):Fc (human) (rec.)	CHI-HF-210B7H3	100 µg
B7-H3 [CD276] (human):Fc (mouse) (rec.)	CHI-HF-211B7H3	100 µg
B7-H3(4Ig) [B7-H3b] (human) (rec.) (His)	CHI-HF-201B7H3B	50 µg
B7-H3(4Ig) [B7-H3b] (human):Fc (mouse) (rec.)	CHI-HF-211B7H3B	100 µg
B7-H4 (mouse):Fc (mouse) (rec.)	CHI-MF-110B7H4	100 µg
B7-H4 (human) (rec.) (untagged)	CHI-HF-200B7H4	50 µg
B7-H4 (human) (rec.) (His)	CHI-HF-201B7H4	50 µg
B7-H4 (human):Fc (human) (rec.)	CHI-HF-210B7H4	100 µg
B7-H4 (human):Fc (mouse) (rec.)	CHI-HF-211B7H4	100 µg
B7-H4 (human):Fc (rabbit) (rec.)	CHI-HF-212B7H4	100 µg
VISTA [B7-H5] (mouse):Fc (human) (rec.)	AG-40B-0164	50 µg
VISTA [B7-H5] (human) (rec.) (His)	AG-40B-0177	10 µg 3 × 10 µg
VISTA [B7-H5] (human) (rec.) (His)	CHI-HF-201B7H5	50 µg
VISTA [B7-H5] (human):Fc (human) (rec.)	AG-40B-0163	50 µg
VISTA [B7-H5] (human):Fc (mouse) (rec.)	CHI-HF-211B7H5	100 µg
B7-H6 (human):Fc (mouse) (rec.)	CHI-HF-211B7H6	100 µg

OX40 – OX40L Pathway

蛋白	产品编号	规格
OX40 (mouse):Fc (human) (rec.)	CHI-MF-111CD134	100 µg
OX40 (human) (rec.) (His)	CHI-HR-200CD134	25 µg
OX40 (human):Fc (human) (rec.)	AG-40B-0014	50 µg 3×50 µg
OX40 (human):Fc (human) (rec.)	CHI-HF-210CD134	50 µg
OX40 (human):Fc (mouse) (rec.)	CHI-HF-211CD134	100 µg
OX40L (mouse) (multimeric) (rec.)	AG-40B-0029	10 µg
Fc (human):OX40L, Soluble (human) (rec.)	AG-40B-0172	10 µg 3×10 µg
OX40L (human) (rec.) (His)	CHI-HF-201CD252	50 µg
OX40L (human):Fc (mouse) (rec.)	CHI-HF-211CD252	100 µg
抗体	产品编号	规格
OX40 (human), mAb (BerAct35)	ANC-355-020	100 µg
OX40L (human), mAb (rec.) (blocking) (R4930) (PF)	AG-27B-6001PF	100 µg
OX40L (human), mAb (ANC10G1)	ANC-400-020	100 µg

Other Immune Checkpoint Proteins

蛋白	产品编号	规格
CD27 (human) (rec.) (His)	CHI-HR-200CD27	50 µg
CD27 (human):Fc (human) (rec.)	CHI-HF-210CD27	100 µg
CD27 (human)-mulg Fusion Protein	ANC-543-020	25 µg
CD200 (mouse):Fc (mouse) (rec.) (non-lytic)	CHI-MF-120CD200	50 µg
CD200 (human):Fc (human) (rec.) (non-lytic)	CHI-HF-220CD200	100 µg
CD244(2B4) (human)-mulg Fusion Protein	ANC-544-020	25 µg
抗体	产品编号	规格
CD27 (human), mAb (M-T271)	ANC-176-020	100 µg
CD48 (human), mAb (5-4.8)	ANC-199-020	100 µg

NKT细胞激活剂

化合物	产品编号	规格
alpha-Galactosylceramide	AG-CN2-0013	250 µg 1 mg
alpha-Galactosylceramide Analog I [KBC-007]	AG-CR1-3608	100 µg
α-Galactosylceramide Analog 8	AG-CR1-3622	500 µg
OCH	AG-CR1-3593	250 µg 1 mg
alpha-Mannosylceramide	AG-CR1-3594	250 µg 1 mg
beta-Mannosylceramide	AG-CR1-3621	250 µg 1 mg

上述试剂仅供实验研究用,不可用作“医药品”、“食品”、“临床诊断”等。

